

# **The Canadian Entomologist**

**INDEX TO VOLUME 103  
1971**

**Editor: D. P. Pielou**



**THE ENTOMOLOGICAL SOCIETY OF CANADA, OTTAWA**

## CONTENTS

- Albu, P.** See Botnariuc, N., 471.
- Allen, R. K.** New Asian *Ephemerella* with notes (Ephemeroptera: Ephemerellidae), 512.
- Amman, G. D. and Speers, C. F.** Introduction and evaluation of predators from India and Pakistan for control of the balsam woolly aphid (Homoptera: Adelgidae) in North Carolina, 528.
- Armitage, P. D.** Some aspects of the ecology of *Pagastiella orophila* (Diptera: Chironomidae) in the Lake Kuusijärvi, in the south of Finland, 306.
- Arthur, A. P.** Associative learning by *Nemeritis canescens* (Hymenoptera: Ichneumonidae), 1137.
- Atchley, W. R. and Martin, J.** A morphometric analysis of differential sexual dimorphism in larvae of *Chironomus* (Diptera), 319.
- Bailey, D. L., LaBrecque, G. C., and Whitfield, T. L.** Resistance of house flies (Diptera: Muscidae) in Florida to trichlorfon and dichlorvos formulated in sugar baits, 853.
- Baldwin, W. F., Knight, A. G. and Lynn, K. R.** A sex pheromone in the insect *Rhodnius prolixus* (Hemiptera: Reduviidae), 18.
- Barlow, J. S. and Kollberg, S.** An improved chemically defined diet for *Lucilia sericata* (Diptera: Calliphoridae), 1341.
- Batth, S. S.** See Timbers, G. E., 1347.
- Becker, E. C.** Five new species of *Megapenthes* from the southwestern United States, with a key to the Nearctic species (Coleoptera: Elateridae), 145.
- Bellamy, R. E. and Bracken, G. K.** Quantitative aspects of ovarian development in mosquitoes, 763.
- Benjamin, D. M.** See Philogène, B. J. R., 1705.
- Bennett, E. W.** See Prokopy, R. J., 1405.
- Berisford, C. W., Kulman, H. M., Pienkowski, R. L., and Heikkinen, H. J.** Factors affecting distribution and abundance of hymenopterous parasites of *Ips* spp. bark beetles in Virginia (Coleoptera: Scolytidae), 235.
- Blakeley, P. E.** See Holmes, N. D., 277.
- Blaylock, B. G.** The production of chromosome aberration in *Chironomus riparius* (Diptera: Chironomidae) by tritiated water, 448.
- Bodley, C. L.** See Syme, P. D., 1363.
- Botnariuc, N. and Albu, P.** Chironomids (Diptera) from the Retezat massif of the southern Carpathians, Romania, 471.
- Bournoville, R.** Données biologiques d'un biotype du puceron du pois, *Acyrtosiphon pisum* (Homoptera: Aphididae), 876.
- Bracken, G. K.** See Bellamy, R. E., 763.
- Brown, C. E.** See Shepherd, R. F., 1371.
- Bryant, D. G.** Balsam woolly aphid, *Adelges piceae* (Homoptera: Phylloxeridae), seasonal and spatial development in crowns of balsam fir, *Abies balsamea*, 1411.
- Bucher, G. E. and Cheng, H. H.** Comparison of *Bacillus thuringiensis* preparations with carbaryl for hornworm (Lepidoptera: Sphingidae) control on tobacco, 142.
- Mortality in larvae of *Euxoa messoria* (Lepidoptera: Noctuidae) collected from the tobacco area of Ontario, 888.
- Burgess, L. and Rempel, J. G.** Collection of the pitcherplant mosquito, *Wyeomyia smithii* (Diptera: Culicidae), from Saskatchewan, 886.
- Bush, G. L.** See Prokopy, R. J., 1405.
- Butcher, J. W.** See Ross Jr., R. H., 1449.
- Calvin, L. D.** See Westgard, P. H., 67.
- Cândeau-Cure, V.** Contributions à la connaissance de la faune de chironomidés (larves) du bassin de la rivière Bistrita dans la zone du lac de barrage Bicaz avant, au début et six ans après la mise en eau, 424.
- Carlson, D.** A method for sampling larval and emerging insects using an aquatic black light trap, 1365.
- Carpenter, J.** See Wilde, W. H. A., 1175.
- Caspary, V. G. and Downe, A. E. R.** Swarming and mating of *Chironomus riparius* (Diptera: Chironomidae), 444.
- Chai, F.-C. and Dixon, S. E.** A technique for ageing cocoons of the sawfly *Neodiprion sertifer* (Hymenoptera: Diprionidae), 80.
- Chambers, D. L.** See Wright, R. H., 627.

- Chan, K. L. and LeRoux, E. J.** A new subgenus and species of midge (Diptera: Ceratopogonidae) from Singapore, 271.  
Nine new species of *Forcipomyia* (Diptera: Ceratopogonidae) described in all stages, 729.  
Phylogenetic relationships in the Forcipomyiinae (Diptera: Ceratopogonidae), 1323.
- Chang, S. S. and Loschiavo, S. R.** The influence of some fungi in flour, and humidity on the survival and development of *Cryptolestes turcicus* (Coleoptera: Cucujidae), 261.
- Cheng, H. H.** Assessment of tobacco losses caused by the dark-sided cutworm, *Euxoa messoria* (Lepidoptera: Noctuidae), Delhi, Ontario, 534.  
Field studies on the chemical control of the dark-sided cutworm (Lepidoptera: Noctuidae) on tobacco in Ontario, with particular reference to Dursban®, 649.  
See also Bucher, G. E., 142, 888.
- Comeau, A.** See Weatherston, J., 1741.
- Costa, R. R.** See Pask, W. M., 1649.
- Craig, C. H.** Distribution of *Adelphocoris lineolatus* (Heteroptera: Miridae) in western Canada, 280.
- Curry, L. L. and Curry, M. C.** The Chironomidae (Diptera) found in the U.S. Virgin Islands and Anegada, British Virgin Islands, 310.
- Curry, M. C.** See Curry, L. L., 310.
- Danks, H. V.** Overwintering of some north temperate and arctic Chironomidae. I. The winter environment, 589. II. Chironomid biology, 1875.  
Life history and biology of *Einfeldia synchrona* (Diptera: Chironomidae), 1597.
- Davey, K. G.** See Kaufman, W. R., 487.
- Davis, C. N.** See Lindquist, O. H., 622.
- Davis, W. W.** See Madsen, H. F., 1517.
- DeBoo, R. F., Sippell, W. L., and Wong, H. R.** The eastern pine-shoot borer, *Eucosma gloriola* (Lepidoptera: Tortricidae), in North America, 1473.
- Dejoux, C.** Recherches sur le cycle de développement de *Chironomus pulcher* (Diptera: Chironomidae), 465.
- Dendy, J. S.** Phenology of midges in experimental ponds, 376.
- Denning, D. G. and Schmid, F.** Descriptions of four new *Rhyacophila* (Trichoptera: Rhyacophilidae), 1553.
- Depner, K. R.** The distribution of black flies (Diptera: Simuliidae) of the mainstream of the Crownsnest-Oldman River system of southern Alberta, 1147.
- Dixon, S. E.** See Chai, F.-C., 80.
- Dondale, C. D., Nicholls, C. F., Redner, J. H., Semple, R. B., and Turnbull, A. L.** An improved Berlese-Tullgren funnel and a flotation separator for extracting grassland arthropods, 1549.
- Dordel, H.-J.** The process of copulation in the marine chironomid *Clunio marinus* (Diptera), 404.
- Dosse, G.** See Musa, S., 130.
- Downe, A. E. R.** See Caspary, V. G., 444.
- Driver, E. A.** Range extensions and habitat data of two Chironominae (Diptera: Chironomidae) from Saskatchewan, 1017.
- Dudley, C. O.** A sampling design for the egg and first instar larval populations of the western pine beetle, *Dendroctonus brevicomis* (Coleoptera: Scolytidae), 1291.
- Elliott, W. M.** Annual flight patterns of the green peach aphid, *Myzus persicae* (Homoptera: Aphididae), 1157.
- Felix, L. S., Uhrenholdt, B., and Parmeter Jr., J. R.** Association of *Scolytus ventralis* (Coleoptera: Scolytidae) and *Phoradendron bolleanum* subspecies *pauciflorum* on *Abies concolor*, 1697.
- Ferrell, G. T.** Host selection by the fir engraver, *Scolytus ventralis* (Coleoptera: Scolytidae): Preliminary field studies, 1717.
- Finnegan, R. J.** An appraisal of indigenous ants as limiting agents of forest pests in Quebec, 1489.
- Fittkau, E. J.** Distribution and ecology of Amazonian chironomids (Diptera), 407.
- Flanders, S. E.** Multiple parasitism of armored coccids (Homoptera) by host-regulative aphelinids (Hymenoptera); ectoparasites versus endoparasites, 857.  
Single factor mortality, the essence of biological control, and its validation, in the field, 1351.

- Fong, K. T-Y. See McFarlane, J. E., 873.
- Foote, B. A. See Sluss, T. P., 1427.
- Forbes, A. R. See Raine, J., 110.
- Frank, J. H. Carabidae (Coleoptera) as predators of the red-backed cutworm (Lepidoptera: Noctuidae) in central Alberta, 1039.
- Frankie, G. W. and Koehler, C. S. Studies on the biology and seasonal history of the cypress bark moth, *Laspeyresia cupressana* (Lepidoptera: Olethreutidae), 947.
- Fredeen, F. J. H. The abatement of nuisance species of Trichoptera with DDT applied to the resting sites of adults, 579.
- French, J. See Retnakaran, A., 712.
- Friend, W. G. See Smith, J. J. B., 167.
- Frommer, S. I. and Sublette, J. E. The Chironomidae (Diptera) of the Philip L. Boyd Deep Canyon Desert Research Center, Riverside Co., California, 414.
- Gardiner, E. J. See Percy, J. E., 706.
- Geckler, R. P. Laboratory studies of predation of snails by larvae of the marsh fly, *Sepedon tenuicornis* (Diptera: Sciomyzidae), 638.
- Gerber, G. H. See Loan, C. C., 1273.
- Gerrard, D. J. See Wilson, L. F., 1315.
- Graham, K. See Safranyik, L., 240.
- Grodhaus, G. Sporadic parthenogenesis in three species of *Chironomus* (Diptera), 338.
- Gyrisco, G. G. See Richardson, R. L., 1653.
- Hamilton, A. L. and Sæther, O. A. The occurrence of characteristic deformities in the chironomid larvae of several Canadian lakes, 363.
- Hamilton, K. G. A. A remarkable fossil homopteran from Canadian cretaceous amber representing a new family, 943.
- Harcourt, D. G. Population dynamics of *Leptinotarsa decemlineata* (Say) in eastern Ontario. III. Major population processes, 1049.  
See also Jaques, R. P., 1285.
- Hardwick, D. F. The "phenological date" as an indicator of the flight period of noctuid moths, 1207.
- Hardwick, D. F. and Lefkovich, L. P. Physical and biotic factors affecting *Euxoa* species abundance in western North America: A regression analysis, 1217.
- Harrison, A. D. A conspectus of the Macropelopiini and Pentaneurini (Tanypodinae: Chironomidae) of Africa south of the Sahara, 386.
- Hartland-Rowe, R. See Radford, D. S., 609.
- Hawn, E. J. See Kasting, R., 1027.
- Heikkinen, H. J. See Berisford, C. W., 235.
- Hein, J. and Schmulbach, J. C. Intraspecific and interspecific breeding behavior of *Chironomus pallidivittatus* (Diptera: Chironomidae), 458.
- Heinrichs, E. A. External morphology of larvae of *Choristoneura houstonana* (Lepidoptera: Tortricidae), 12.
- Heron, R. J. Temperature tolerance of pronymphs and pupae of the larch sawfly, *Pristiphora erichsonii* (Hymenoptera: Tenthredinidae), 1153.
- Hinks, C. F. Observations on larval behaviour and avoidance of encapsulation of *Perilampus hyalinus* (Hymenoptera: Perilampidae) parasitic in *Neodiprion lecontei* (Hymenoptera: Diprionidae), 182.  
Histochemical analysis of the neurosecretory cells in the adult brain of *Triphaena prouba* (Lepidoptera: Noctuidae), 1639.
- Hobbs, G. A. and Kronic, M. D. Comparative behavior of three chalcidoid (Hymenoptera) parasites of the alfalfa leafcutter bee, *Megachile rotundata*, in the laboratory, 674.
- Hocking, R. P. See Timbers, G. E., 1347.
- Hodges, J. D. and Pickard, L. S. Lightning in the ecology of the southern pine beetle, *Dendroctonus frontalis* (Coleoptera: Scolytidae), 44.
- Holland, C. P. New Siphonaptera from southern Mexico, 95.  
A new genus and species of flea from Tasmania (Siphonaptera: Pygiopsyllidae), 125.  
Two new species and three new subspecies of *Acanthopsylla* from Australia, with some notes on the genus (Siphonaptera: Pygiopsyllidae), 213.
- Holmes, N. D. and Blakeley, P. E. The rye jointworm (Hymenoptera: Eurytomidae), a new insect pest in western Canada, 277.

- Horn, D. J.** The relationship between a parasite, *Tetrastichus incertus* (Hymenoptera: Eulophidae), and its host, the alfalfa weevil, *Hypera postica* (Coleoptera: Curculionidae), in New York, 83.
- House, H. L.** See Maw, M. G., 1435.
- Howden, H. F.** A second species of *Peltotrichius* (Coleoptera: Scarabaeidae: Trichiinae), 104. Five unusual genera of New World Scarabaeidae (Coleoptera), 1463.
- Huckett, H. C.** Supplementary notes on Walker's North American type-specimens of Anthomyiidae and Muscidae (Diptera) in the British Museum, 975.
- Jakes, R. P. and Harcourt, D. G.** Viruses of *Trichoplusia ni* (Lepidoptera: Noctuidae) and *Pieris rapae* (Lepidoptera: Pieridae) in soil in fields of crucifers in southern Ontario, 1285.
- Jay, S. C.** Sun position as a possible factor in the disorientation of honey bees (*Apis mellifera*) (Hymenoptera: Apidae), 1111.
- Johnstone, D. E.** Additions to the orthopteran fauna of Canada, 1193.
- Kasting, R., McGinnis, A. J., and Hawn, E. J.** A disease of pale western cutworms (Lepidoptera: Noctuidae) reared in the laboratory, 1027.
- Kaufman, W. R. and Davey, K. G.** The pulsatile organ in the tibia of *Triatoma phyllosoma pallidipennis*, 487.
- Keiser, I.** See Wright, R. H., 627.
- Kelton, L. A.** Revision of the species of *Trigonotylus* in North America (Heteroptera: Miridae), 685. Four new species of *Lygocois* from Canada (Heteroptera: Miridae), 1107.
- Kennedy, P. C. and Wilson, L. F.** Understory vegetation associated with Saratoga spittlebug damage in Michigan red pine plantations, 1421. Pine root collar weevil damage to red pine plantations in Michigan related to host age, temperature, and stand location, 1685.
- Kishi, Y.** Reconsideration of the method to measure the larval instars by use of the frequency distribution of head-capsule widths or lengths, 1011.
- Klassen, W.** See Wehrhahn, C. F., 1387.
- Klein, W. H. and Minnoch, M. W.** On the occurrence and biology of *Nepytia freemani* (Lepidoptera: Geometridae) in Utah, 119.
- Knight, A. G.** See Baldwin, W. F., 18.
- Koehler, C. S.** See Frankie, G. W., 947.
- Kollberg, S.** See Barlow, J. S., 1341.
- Krunie, M. D.** See Hobbs, G. A., 674.
- Kugler, J.** The developmental stages of *Leptochironomus stilifer* (Diptera: Chironomidae) and the characters of the genus *Leptochironomus*, 341.
- Kulman, H. M.** See Berisford, C. W., 235.
- Kumar, R.** See Richards, W. R., 116.
- LaBrecque, G. C.** See Bailey, D. L., 853.
- Landa, V.** See Masner, P., 1063.
- Laroche, A.** Notes on *Tachys obliquus* (Coleoptera: Carabidae), 1197.
- Lauffer, H. and Schin, K. S.** Quantitative studies of hydrolytic enzyme activity in the salivary gland of *Chironomus tentans* (Diptera: Chironomidae) during metamorphosis, 454.
- Lawko, C. M.** A double replica method for counting ommatidia in curved compound eyes, 1849.
- Leech, R.** The introduced Amaurobiidae of North America, and *Callobius hokkaido* n. sp. from Japan (Arachnida: Araneida), 23.
- Leech, R. and Matthews Jr., J. V.** *Xysticus archaeopalpus* (Arachnida: Thomisidae), a new species of crab spider from pliocene sediments in western Alaska, 1337.
- Leffkovich, L. P.** See Hardwick, D. F., 1217.
- Leonard, D. E.** *Bachymeria intermedia* (Hymenoptera: Chalcididae) parasitizing gypsy moth in Maine, 654.
- LeRoux, E. J.** Biological control attempts on pome fruit (apple and pear) in North America, 1860-1970, 963. See also Chan, K. L., 271, 729, 1323.
- Liberty, J.** See Wilde, W. H. A., 1175.
- Lilly, C. E. and Shorthouse, J. D.** Responses of males of the 10-lined June beetle, *Polyphylla decemlineata* (Coleoptera: Scarabaeidae), to female sex pheromone, 1757.
- Lindeberg, B.** The delimitation of genera among the Chironomidae (Diptera), 373.

- Lindquist, E. E.** New species of Ascidae (Acarina: Mesostigmata) associated with forest pests, 919.
- Lindquist, E. E. and Vercammen-Grandjean, P. H.** Revision of the chigger-like larvae of the genera *Neotrombidium* Leonardi and *Monunguis* Wharton, with a redefinition of the subfamily Neotrombidiinae Feider in the Trombidiidae (Acarina: Prostigmata), 1557.
- Lindquist, O. H. and Davis, C. N.** The biology of a birch leaf beetle, *Phratora hudsonia* (Coleoptera: Chrysomelidae), with a larval key to forest Chrysomelinae in Ontario, 622.
- Lindroth, C. H.** On the occurrence of a continental element in the ground-beetle fauna of eastern Canada (Coleoptera: Carabidae), 1455.
- Loan, C. C., Gerber, G. H., and Reid, D. G.** Biosystematics of the tingid parasite *Holdawayella* in Ontario (Hymenoptera: Braconidae, Euphorinae), 1273.
- Lord, F. T.** Laboratory tests to compare the predatory value of six mirid species in each stage of development against the winter eggs of the European red mite, *Panonychus ulmi* (Acari: Tetranychidae), 1663.
- Loschiavo, S. R.** See Chang, S. S., 261.
- Luck, R. F.** An appraisal of two methods of analyzing insect life tables, 1261.
- Lynn, K. R.** See Baldwin, W. F., 18.
- MacGown, M. W.** A new species of *Platygaster* (Hymenoptera: Proctotrupoidea, Platygastridae) associated with shortleaf pine, *Pinus echinata*, 1637.
- MacGown, M. W. and Osgood Jr., E. A.** Two new species of *Platygaster* (Hymenoptera: Proctotrupoidea, Platygastridae) parasitic on balsam gall midge, *Dasineura balsamicola* (Diptera: Cecidomyiidae), 1143.
- Madsen, H. F. and Davis, W. W.** Further observations on the integrated control of the fruittree leafroller (Lepidoptera: Tortricidae) in British Columbia, 1517.
- Mansingh, A.** Physiological classification of dormancies in insects, 983.
- Martin, J.** See Atchley, W. R., 319.
- Masner, P. and Landa, V.** The formation of compound egg chambers in a bug (Hemiptera) sterilized with 6-azauridine, 1063.
- Mason, W. R. M.** An Indian *Agriotypus* (Hymenoptera: Agriotypidae), 1521.
- Mason Jr., W. T. and Sublette, J. E.** Collecting Ohio River basin Chironomidae (Diptera) with a floating sticky trap, 397.
- Matsuda, R.** A new species of *Aradus* (Aradidae: Hemiptera), 1195.
- Mathewman, W. G. and Pielou, D. P.** Arthropods inhabiting the sporophores of *Fomes fomentarius* (Polyporaceae) in Gatineau Park, Quebec, 775.
- Matthews Jr., J. V.** See Leech, R., 1337.
- Mattson Jr., W. J.** Relationship between cone crop size and cone damage by insects in red pine seed-production areas, 617.
- Maw, M. G. and House, H. L.** On capric acid and potassium capricate as mosquito larvicides in laboratory and field, 1435.
- McAlpine, J. F.** A revision of the subgenus *Neoleucopis* (Diptera: Chamaemyiidae), 1851.
- McFarlane, J. E. and Fong, K. T.-Y.** The potentiation by curare of the action of acetylcholine on the house cricket heart (Orthoptera: Gryllidae), 873.
- McGinnis, A. J.** See Kasting, R., 1027.
- McKinlay, K. S. and Randell, R. L.** Moisture content and nutritional value of laboratory diets for the migratory grasshopper, *Melanoplus sanguinipes* (Orthoptera: Acrididae), 657.
- Miller, A. C.** Observations on the Chironomidae (Diptera) inhabiting the leaf axils of two species of Bromeliaceae on St. John, U.S. Virgin Islands, 391.
- Minnoch, M. W.** See Klein, W. H., 119.
- Mitchell, B. K. and Seabrook, W. D.** Pterothoracic musculature of the adult male spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 1.
- Monroe, R. E.** See Ross Jr., R. H., 1449.
- Monteith, L. G.** Crickets as predators of the apple maggot, *Rhagoletis pomonella* (Diptera: Tephritidae), 52.
- The status of parasites of the apple maggot, *Rhagoletis pomonella* (Diptera: Tephritidae), in Ontario, 507.
- Morris, R. F.** Observed and simulated changes in genetic quality in natural populations of *Hyphantria cunea*, 893.
- The influence of land use and vegetation on the population density of *Hyphantria cunea*, 1525.
- Moser, J. C. and Roton, L. M.** Mites associated with southern pine bark beetles in Allen Parish, Louisiana, 1775.



- Mozley, S. C.** Maxillary and premental patterns in Chironominae and Orthoclaadiinae (Diptera: Chironomidae), 298.
- Mukerji, M. K.** Major factors in survival of the immature stages of *Hylemya brassicae* (Diptera: Anthomyiidae) on cabbage, 717.
- Mundie, J. H.** The diel drift of Chironomidae in an artificial stream and its relation to the diet of Coho salmon fry, *Oncorhynchus kisutch* (Waulbaum), 289.
- Munroe, E. and Mutuura, A.** Contributions to a study of the Pyraustinae (Lepidoptera: Pyralidae) of temperate East Asia, XI, 173; XII, 503.
- Murray, V. I. E.** The tracheal system of the larvae of *Hypoderma* (Diptera: Oestridae) *lineatum* and *H. bovis*, 1397.  
The Malpighian tubules of the larvae of *Hypoderma* (Diptera: Oestridae) *lineatum* and *H. bovis*, 1727.
- Musa, S. and Dosse, G.** The control of winter eggs of *Panonychus ulmi* (Acarina: Tetranychidae) and *Bryobia rubrioculus* (Acarina: Tetranychidae) by M2060 (2-fluoroethyl (4-biphenyl) acetate) and other products in Lebanon, 130.
- Mutuura, A.** A new genus of a homoneurous moth and the description of a new species (Lepidoptera: Neopseustidae), 1129.  
Two new species of *Dioryctria* (Lepidoptera: Pyralidae) from India, 1169.  
See also Munroe, E., 173, 503.
- Nelson, D. E.** See Richardson, R. L., 1653.
- Neumann, D.** The temporal programming of development in the intertidal chironomid *Clunio marinus* (Diptera: Chironomidae), 315.
- New, T. R.** The consumption of *Euphorbia cyparissias* (Euphorbiaceae) by larvae of *Celerio euphorbiae* (Lepidoptera: Sphingidae), 59.  
The Psocoptera of the Canadian Nepal Expedition, 188.
- Nicholls, C. F.** See Dondale, C. D., 1549.
- Odera, J. A.** The effect of solar radiation of cone insects of eastern white pine (*Pinus strobus*) in the Fredericton area, New Brunswick, 605.
- Oetting, R. D. and Yonke, T. R.** Immature stages and biology of *Podisus placidus* and *Stiretrus fimbriatus* (Hemiptera: Pentatomidae), 1505.
- Oliver, D. R.** Description of *Einfeldia synchrona* n. sp. (Diptera: Chironomidae), 1591.
- Osgood Jr., E. A.** See MacGown, M. W., 1143.
- Outram, I.** Morphology and histology of the reproductive system of the female spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 32.  
Aspects of mating in the spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 1121.
- Parmeter Jr., J. R.** See Felix, L. S., 1697.
- Pask, W. M. and Costa, R. R.** Efficiency of sucrose flotation in recovering insect larvae from benthic stream samples, 1649.
- Percy, J. E., Gardiner, E. J., and Weatherston, J.** Studies of physiologically active arthropod secretions. VI. Evidence for a sex pheromone in female *Orgyia leucostigma* (Lepidoptera: Lymantridae), 706.
- Percy, J. E. and Weatherston, J.** Studies of physiologically active arthropod secretions. IX. Morphology and histology of the pheromone-producing glands of some female Lepidoptera, 1733.
- Perron, J. P.** Insect pests of carrots in organic soils of southwestern Quebec with special reference to the carrot weevil, *Listronotus oregonensis* (Coleoptera: Curculionidae), 1441.
- Peterson, B. V.** Lectotype designation for *Aedes simici* (Diptera: Culicidae), 1199.
- Petr, T.** Establishment of chironomids in a large tropical man-made lake, 380.
- Philogène, B. J. R. and Benjamin, D. M.** Temperature and photoperiod effects of the immature stages and adults of *Neodiprion swainei* (Hymenoptera: Diprionidae), 1705.
- Pickard, L. S.** See Hodges, J. D., 44.
- Pielou, D. P.** See Matthewman, W. G., 775.
- Pienkowski, R. L.** See Berisford, C. W., 235.
- Powell, J. M.** The arthropod fauna collected from the comandra blister rust, *Cronartium comandrae*, on lodgepole pine in Alberta, 908.
- Prokopy, R. J., Bennett, E. W., and Bush, G. L.** Mating behavior in *Rhagoletis pomonella* (Diptera: Tephritidae), 1405.
- Puthz, V.** Two new *Stenus* from Eastern Canada (Coleoptera: Staphylinidae), 1749.

- Quednau, F. W.** New and little-known aphids (Homoptera: Aphididae) from eastern North America, 1083.
- Radford, D. S. and Hartland-Rowe, R.** The life cycles of some stream insects (Ephemeroptera, Plecoptera) in Alberta, 609.
- Raine, J. and Forbes, A. R.** The salivary syringe of the leafhopper *Macrosteles fascifrons* (Homoptera: Cicadellidae) and the occurrence of mycoplasma-like organisms in its ducts, 110.
- Randell, R. L.** See McKinlay, K. S., 657.
- Redner, J. H.** See Dondale, C. D., 1549.
- Reid, D. G.** See Loan, C. C., 1273.
- Rempel, J. G.** See Burgess, L., 886.
- Retnakaran, A.** Thiotepa as an effective agent for mass sterilizing the spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 1753.
- Retnakaran, A. and French, J.** A method for separating and surface sterilizing the eggs of the spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 712.
- Richards, W. R.** *Tuberculatus spiculatus*, a new aphid from Mexico (Homoptera: Aphididae), 107.
- Richards, W. R. and Kumar, R.** *Myzocallis (Agrioaphis) aptera*, a new *Berberis*-infesting aphid from India (Homoptera: Aphididae), 116.
- Richardson, R. L., Nelson, D. E., York, A. C., and Gyrisco, G. G.** Biological control of the alfalfa weevil, *Hypera postica* (Coleoptera: Curculionidae), in New York, 1653.
- Robillard, J.** A new species of *Digamasellus* (Acarina: Digamasellidae) from Louisiana, 1763.
- Robinson, A. G.** Occurrence of *Neosymydobius mimicus* (Homoptera: Aphididae) in Manitoba, 1487.
- Roclofs, W.** See Weatherston, J., 1741.
- Rosenberg, T.** Geographical variation of certain taxonomic characters in natural populations of *Tanytarsus heusdensis* (Diptera: Chironomidae) in Finland, 432.
- Ross Jr., R. H., Monroe, R. E., and Butcher, J. W.** Studies on techniques for the xenic and aseptic rearing of the European pine shoot moth, *Rhyacionia buoliana* (Lepidoptera: Olethreutidae), 1449.
- Roton, L. M.** See Moser, J. C., 1775.
- Sæther, O. A.** Nomenclature and phylogeny of the genus *Harnischia* (Diptera: Chironomidae), 347.  
Notes on general morphology and terminology of the Chironomidae (Diptera), 1237.  
Four new and unusual Chironomidae (Diptera), 1799.  
See also Hamilton, A. L., 363.
- Safranyik, L. and Graham, K.** Edge-effect bias in the sampling of sub-cortical insects, 240.
- Safranyik, L. and Vithayasai, C.** Some characteristics of the spatial arrangement of attacks by the mountain pine beetle, *Dendroctonus ponderosae* (Coleoptera: Scolytidae), on lodge-pole pine — with an appendix, 1607.
- Salt, R. W.** Winter survival of the rye jointworm, *Ha molita secale* (Hymenoptera: Eurytomidae), 286.
- Sanders, C. J.** Daily activity patterns and sex pheromone specificity as sexual isolating mechanisms in two species of *Choristoneura* (Lepidoptera: Tortricidae), 498.  
Laboratory bioassay of the sex pheromone of the female eastern spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 631.  
See also Weatherston, J., 1741.
- Schin, K. S.** See Laufer, H., 454.
- Schmid, F.** See Denning, D. G., 1553.
- Schmid, J. M.** *Medetera aldrichii* (Diptera: Dolichopodidae) in the Black Hills. II. Biology and densities of the immature stages, 848.
- Schmulbach, J. C.** See Hein, J., 458.
- Seudder, G. G. E.** The World Rhyparochrominae (Hemiptera: Lygaeidae). XII. Two new species of *Naphius*, with a revised key to species, 1545.
- Seabrook, W. D.** See Mitchell, B. K., 1.
- Semple, R. B.** See Dondale, C. D., 1549.
- Shepherd, R. F. and Brown, C. E.** Sequential egg-band sampling and probability methods of predicting defoliation by *Malacosoma disstria* (Lasiocampidae: Lepidoptera), 1371.



- Shewell, G. E.** On the type of *Agria*, with description of a new nearctic species (Diptera: Sarcophagidae), 1179.
- Shorthouse, J. D.** See Lilly, C. E., 1757.
- Sippell, W. L.** See DeBoo, R. F., 1473.
- Sluss, T. P. and Foote, B. A.** Biology and immature stages of *Leucopis verticalis* (Diptera: Chamaemyiidae), 1427.
- Smetana, A.** Revision of the tribe Quediini of America north of Mexico (Coleoptera: Staphylinidae) — Supplementum, 1833.
- Smirnov, W. A.** Heat polyhedra in mineral oil: A diagnostic technique, 71.  
Transmission of *Herpetomonas swainei* sp. n. by means of *Neodip-ion swainei* (Hymenoptera: Tenthredinidae) parasites, 630.  
Susceptibility of *Dahlbominus fuscipennis* (Chalcidoidea: Eulophidae) to the microsporidian *Thelohania pristiphora*, 1165.  
Effect of chitinase on the action of *Bacillus thuringiensis*, 1829.
- Smith, B. C.** Effects of various factors on the local distribution and density of coccinellid adults on corn (Coleoptera: Coccinellidae), 1115.
- Smith, J. J. B. and Friend, W. G.** The application of split-screen television recording and electrical resistance measurement to the study of feeding in a blood-sucking insect (*Rhodnius prolixus*), 167.
- Speers, C. F.** See Amman, G. D., 528.
- Städler, E.** An improved mass-rearing method of the carrot rust fly, *Psila rosae* (Diptera: Psilidae), 1033.
- Steffan, A. W.** Chironomid (Diptera) biocoenoses in Scandinavian glacier brooks, 477.
- Sublette, J. E.** See Frommer, S. I., 414; Mason Jr., W. T., 397.
- Swenson, K. G.** Relation of sexupara production in the woolly pear aphid, *Eriosoma pyricola* (Homoptera: Pemphigidae), to tree growth in the field, 256.
- Syme, P. D. and Bodley, C. L.** An electrical cauterizer for insect larvae, 1363.  
The life history and biology of *Hyssopus thymus* (Hymenoptera: Eulophidae), a parasite of the European pine shoot moth (Lepidoptera: Olethreutidae) in Ontario, 1691.
- Tauber, C. A.** See Tauber, M. J., 906.
- Tauber, M. J. and Tauber, C. A.** An autosomal recessive (Neuroptera: Chrysopidae) mutant in a neuropteran, 906.
- Teskey, H. J.** A new soldier fly from Canadian amber (Diptera: Stratiomyidae), 1659.
- Thomas, H. A. and White, J. D.** Feeding behaviour of the pales weevil, *Hylobius pales* (Coleoptera: Curculionidae), 74.
- Thomas, J. B.** The immature stages of Scolytidae: The genus *Conophthorus* (Coleoptera: Scolytidae), 1021.
- Thompson, P. E.** Male and female heterogamety in populations of *Chironomus tentans* (Diptera: Chironomidae), 369.
- Timbers, G. E., Hocking, R. P., and Bath, S. S.** A microenvironment cabinet for toxicological studies, 1347.
- Topping, M. S.** Ecology of larvae of *Chironomus tentans* (Diptera: Chironomidae) in saline lakes in central British Columbia, 328.
- Tostowaryk, W.** Life history and behavior of *Podisus modestus* (Hemiptera: Pentatomidae) in boreal forest in Quebec, 662.
- Trottier, R.** Effect of temperature on the life-cycle of *Anax junius* (Odonata: Aeshnidae) in Canada, 1671.
- Tunncliffe, J.** See Wilde, W. H. A., 1175.
- Turnbull, A. L.** See Dondale, C. D., 1549.
- Uhrenholdt, B.** See Felix, L. S., 1697.
- Vercammen-Grandjean, P. H.** See Lindquist, E. E., 1557.
- Vithayasai, C.** See Safranyik, L., 1607.
- Vockeroth, J. R.** Some changes in the use of generic names in the tribe Cerioidini (Diptera: Syrphidae), 282.  
The identity of some Holarctic and Old World species of *Sphaerophoria* (Diptera: Syrphidae), 1627.
- Watson, J. A.** Survival and fecundity of *Dendroctonus ponderosae* (Coleoptera: Scolytidae) after laboratory storage, 1381.

- Weatherston, J.** See Percy, J. E., 706, 1733.
- Weatherston, J., Roelofs, W., Comeau, A., and Sanders, C. J.** Studies of physiologically active arthropod secretions. X. Sex pheromone of the eastern spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 1741.
- Wehrhahn, C. F. and Klassen, W.** Genetic insect control methods involving the release of relatively few laboratory-reared insects, 1387.
- Westigard, P. H. and Calvin, L. D.** Estimating mite populations in southern Oregon pear orchards, 67.
- Wheeler Jr., A. G.** An additional note on *Berytinus minor* (Hemiptera: Berytidae) in North America, 497.
- White, J. D.** See Thomas, H. A., 74.
- Whitney, H. S.** Association of *Dendroctonus ponderosae* (Coleoptera: Scolytidae) with blue stain fungi and yeasts during brood development in lodgepole pine, 1495.
- Whitfield, T. L.** See Bailey, D. L., 853.
- Wilde, W. H. A., Carpenter, J., Liberty, J., and Tunnicliffe, J.** *Psylla pyricola* (Hemiptera: Psyllidae) vector relationships with *Erwinia amylovora*, 1175.
- Wilde, W. H. A.** See Wilson, W. A., 1201.
- Wilson, L. F.** See Kennedy, P. C., 1421, 1685.
- Wilson, L. F. and Gerrard, D. J.** A new procedure for rapidly estimating European pine sawfly (Hymenoptera: Diprionidae) population levels in young pine plantations, 1315.
- Wilson, W. A.** Nematode occurrence in Ontario earwigs (Nematoda: Dermaptera), 1045.
- Wilson, W. A. and Wilde, W. H. A.** Some effects of gamma radiation on earwigs in Ontario, Canada (Dermaptera: Forficulidae), 1201.
- Wirth, W. W.** *Platygympnopa*, a new genus of Ephydriidae reared from decaying snails in North America (Diptera), 266.
- Wong, H. R.** See DeBoo, R. F., 1473.
- Wright, R. H.** Correlation of far infrared spectra and Mediterranean fruit fly (Diptera: Tephritidae) attraction, 284.
- Wright, R. H., Chambers, D. L., and Keiser, I.** Insect attractants, anti-attractants, and repellents, 627.
- Wylie, H. G.** Observations on intraspecific larval competition in three hymenopterous parasites of fly puparia, 137.  
Oviposition restraint of *Muscidifurax zaraptor* (Hymenoptera: Pteromalidae) on parasitized housefly pupae, 1537.
- Yonke, T. R.** See Oetting, R. D., 1505.
- York, A. C.** See Richardson, R. L., 1653.
- Yoshimoto, C. M.** Revision of the genus *Euderus* of America north of Mexico (Hymenoptera: Eulophidae), 541.  
A new genus of Euderinae from South America (Hymenoptera, Chalcidoidea: Eulophidae), 882.  
A new species of the genus *Zamischus* and description of the male *Z. braziliensis* (Hymenoptera, Cynipidae: Eucilinae), 979.  
A new genus of mymarid wasp (Hymenoptera, Chalcidoidea: Mymaridae) from New Brunswick, Canada, 1079.

## INDEX TO NEW TAXA

New Genera and Subgenera	PAGE		PAGE
<i>Acerella</i> Allen (Ephemeroptera)	517	<i>bifurcata</i> Allen, <i>Ephemerella</i>	
<i>Annegialia</i> Howden (Aegialiiinae)		( <i>Drunella</i> )	524
(Coleoptera)	1466	<i>bikanni</i> Chan & LeRoux,	
<i>Aoridus</i> Yoshimoto (Hymenoptera)	882	<i>Forcipomyia</i> ( <i>Forcipomyia</i> )	735
<i>Archepiolus</i> Mutuura (Lepidoptera)	1129	<i>bipunctatopropinqua</i> Chan & LeRoux,	
<i>Aurorobotys</i> Munroe & Mutuura		<i>Forcipomyia</i> ( <i>Forcipomyia</i> )	740
(Lepidoptera)	173	<i>borakensis</i> Allen, <i>Ephemerella</i>	
<i>Austropsylla</i> Holland (Siphonaptera)	125	( <i>Drunella</i> )	525
<i>Callosides</i> Howden (Hybosorinae)		<i>brevipecten</i> Holland, <i>Austropsylla</i>	127
(Coleoptera)	1468	<i>californicus</i> Yoshimoto, <i>Euderus</i>	
<i>Carminibotys</i> Munroe & Mutuura		( <i>Leipocrossus</i> )	558
(Lepidoptera)	180	<i>campbelli</i> Howden, <i>Callosides</i>	1471
<i>Cincticostella</i> Allen (Ephemeroptera)	513	<i>campbelli</i> Yoshimoto, <i>Aoridus</i>	883
<i>Cretaceogaster</i> Teskey (Diptera)	1660	<i>canadensis</i> Yoshimoto, <i>Euderus</i>	
<i>Euderoides</i> Yoshimoto		( <i>Secodelloidea</i> )	548
(Hymenoptera)	550	<i>capensis</i> Scudder, <i>Naphis</i>	1545
<i>Jascopus</i> Hamilton (Hymenoptera)	944	<i>castanea</i> Allen, <i>Ephemerella</i>	
<i>Leipocrossus</i> Yoshimoto		( <i>Cincticostella</i> )	514
(Hymenoptera)	555	<i>chantali</i> Quednau, <i>Longistigma</i>	1083
<i>Neoeuderus</i> Yoshimoto		<i>chillcotti</i> New, <i>Dasyprosus</i>	204
(Hymenoptera)	552	<i>chillcotti</i> Yoshimoto, <i>Euderus</i>	
<i>Paracleruchus</i> Yoshimoto		( <i>Euderus</i> )	565
(Hymenoptera)	1079	<i>chiricahuensis</i> Smetana, <i>Quedius</i>	
<i>Phycoidella</i> Sæther (Diptera)	1810	( <i>Microsaurus</i> ) <i>leechi</i>	1843
<i>Platygnompha</i> Wirth (Diptera)	267	<i>clara</i> Chan & LeRoux, <i>Forcipomyia</i>	
<i>Schizoforcipomyia</i> Chan & LeRoux		( <i>Proforcipomyia</i> )	729
(Diptera)	271	<i>commodea</i> Allen, <i>Ephemerella</i>	
<i>Tenerobotys</i> Munroe & Mutuura		( <i>Acerella</i> )	520
(Lepidoptera)	174	<i>continentalis</i> Munroe & Mutuura,	
		<i>Tenerobotys subfumalis</i>	178
<b>New Species and Subspecies</b>		<i>corticeus</i> Lindquist, <i>Lasioseius</i>	927
<i>abicollis</i> MacGown & Osgood,		<i>crassispinalis</i> Munroe & Mutuura,	
<i>Platyaster</i>	1143	<i>Aurorobotys</i>	174
<i>aciliosa</i> McAlpine, <i>Leucopis</i>		<i>cruscula</i> Sæther, <i>Lenziella</i>	1825
( <i>Neoleucopis</i> )	1871	<i>delicata</i> Allen, <i>Ephemerella</i>	
<i>aculea</i> Allen, <i>Ephemerella</i>		( <i>Cincticostella</i> )	517
( <i>Drunella</i> )	522	<i>denticula</i> Allen, <i>Ephemerella</i>	
<i>aeineiventris</i> Smetana, <i>Heterothops</i>	1836	( <i>Ephemerella</i> )	525
<i>alexanderi</i> Puthz, <i>Stenus</i>		<i>dentolatus</i> Sæther, <i>Phycoidella</i>	1814
( <i>Hypostenus</i> )	1750	<i>dunneti</i> Holland, <i>Acanthopsylla</i>	220
<i>alaskensis</i> Yoshimoto, <i>Euderus</i>		<i>elongatus</i> Becker, <i>Megapenthes</i>	165
( <i>Euderus</i> )	576	<i>elongatus</i> Yoshimoto, <i>Zamischus</i>	981
<i>ancilla</i> McAlpine <i>Leucopis</i>		<i>enderleini</i> New, <i>Caecilius</i>	209
( <i>Neoleucopis</i> )	1869	<i>flannagani</i> Sæther, <i>Cricotopus</i>	1809
<i>antennatus</i> Becker, <i>Megapenthes</i>	164	<i>freyi</i> McAlpine, <i>Leucopis</i>	
<i>anuroporum</i> Lindquist & Vercammen-		( <i>Neoleucopis</i> )	1869
Grandjean, <i>Neotrombidium</i>	1571	<i>fuscedinellae</i> Yoshimoto, <i>Euderus</i>	
<i>apacheorum</i> Becker, <i>Megapenthes</i>	157	( <i>Euderus</i> )	565
<i>aptera</i> Richards & Kumar, <i>Myzocallis</i>		<i>fuscus</i> Becker, <i>Megapenthes</i>	162
( <i>Agriopaphis</i> )	116	<i>glaseri</i> Howden, <i>Peltotrichius</i>	104
<i>archaeopalpus</i> Leech & Matthews,		<i>glaucus</i> Yoshimoto, <i>Euderus</i>	
<i>Xysticus</i>	1337	( <i>Euderus</i> )	564
<i>arisa</i> Munroe & Mutuura, <i>Parbattia</i>	504	<i>globata</i> Holland, <i>Myodopsylla</i>	95
<i>arizonicus</i> Smetana, <i>Heterothops</i>	1834	<i>godavarensis</i> New,	
<i>assamensis</i> Mutuura, <i>Dioryctria</i>	1169	<i>Trichadenotecnum</i>	197
<i>ataeniformis</i> Howden, <i>Annegialia</i>	1468	<i>grandis</i> Chan & LeRoux,	
<i>atricallus</i> Kelton, <i>Lygocoris</i>		<i>Forcipomyia</i> ( <i>Trichohalea</i> )	758
( <i>Neolygus</i> )	1109	<i>helicis</i> Wirth, <i>Platygnompha</i>	270
<i>bengalense</i> Lindquist & Vercammen-			
Grandjean, <i>Neotrombidium</i>	1575		

	PAGE		PAGE
<i>heterotrichus</i> Quednau,		<i>pennielongata</i> Chan & LeRoux,	
<i>Hoplochaetophorus</i> .....	1088	<i>Forcipomyia</i> ( <i>Proforcipomyia</i> ) ..	733
<i>himalayanus</i> New, <i>Ectopsocus</i> .....	202	<i>perculata</i> Allen, <i>Ephemerella</i>	
<i>himalensis</i> Mason, <i>Agriotypus</i> .....	1521	( <i>Acerella</i> ) .....	520
<i>hispida</i> Quednau, <i>Monellia</i> .....	1101	<i>petersoni</i> Chan & LeRoux,	
<i>hokkaido</i> Leech, <i>Callobius</i> .....	30	<i>Forcipomyia</i> ( <i>Schizoforcipomyia</i> )	272
<i>housei</i> Shewell, <i>Agria</i> .....	1187	<i>petersorum</i> Schmid & Denning,	
<i>imanishii</i> Allen, <i>Ephemerella</i>		<i>Rhyacophila</i> .....	1553
( <i>Cincticostella</i> ) .....	517	<i>piceicola</i> Kelton, <i>Lygocoris</i>	
<i>inaequalis</i> Schmid & Denning,		( <i>Neolygus</i> ) .....	1107
<i>Rhyacophila</i> .....	1553	<i>pieloui</i> Yoshimoto, <i>Pa-acleruchus</i> ..	1079
<i>incerta</i> Holland, <i>Acanthopsylla</i> .....	225	<i>potteri</i> Denning, <i>Rhyacophila</i> .....	1556
<i>insolita</i> Allen, <i>Ephemerella</i>		<i>prolata</i> MacGown, <i>Platygaster</i> .....	1637
( <i>Cincticostella</i> ) .....	516	<i>purpureus</i> Yoshimoto, <i>Euderus</i>	
<i>intonsa</i> Chan & LeRoux, <i>Forcipomyia</i>		( <i>Euderoides</i> ) .....	550
( <i>Forcipomyia</i> ) .....	743	<i>pygmaeus</i> Teskey, <i>Cretaceogaster</i> ..	1660
<i>iwawakisana</i> Munroe & Mutuura,		<i>quadritorus</i> Robillard, <i>Digamasellus</i>	1763
<i>Carminibotys carminalis</i> .....	181	<i>quebecensis</i> Puthz, <i>Stenus</i>	
<i>katmanduensis</i> New, <i>Pseudocaecilius</i>	199	( <i>Hypostenus</i> ) .....	1749
<i>keijoensis</i> Allen, <i>Ephemerella</i>		<i>raoi</i> Mutuura, <i>Dioryctria</i> .....	1172
( <i>Ephemerella</i> ) .....	526	<i>reana</i> Denning, <i>Rhyacophila</i> .....	1555
<i>knighti</i> Kelton, <i>Lygocoris</i> ( <i>Neolygus</i> )	1107	<i>rectangulata</i> Holland, <i>Acanthopsylla</i>	
<i>kohnoi</i> Allen, <i>Ephemerella</i>		<i>scintilla</i> .....	230
( <i>Drunella</i> ) .....	524	<i>rectiventris</i> Lindquist, <i>Gamasellodes</i>	935
<i>leonardi</i> Quednau, <i>Calaphis</i> .....	1096	<i>roseus</i> New, <i>Caecilius</i> .....	209
<i>mackaueri</i> Quednau, <i>Iziphya</i> .....	1103	<i>rossi</i> Scudder, <i>Naphius</i> .....	1546
<i>macraei</i> Sæther, <i>Cricotopus</i> .....	1799	<i>schmidi</i> Mutuura, <i>Archeptolus</i>	1129
<i>magnificus</i> Yoshimoto, <i>Euderus</i>		<i>securis</i> Chan & LeRoux, <i>Forcipomyia</i>	
( <i>Neoeuderus</i> ) .....	554	( <i>Forcipomyia</i> ) .....	751
<i>mainensis</i> MacGown & Osgood,		<i>serrata</i> Munroe & Mutuura, <i>Parabattia</i>	503
<i>Platygaster</i> .....	1144	<i>setigera</i> McAlpine, <i>Leucopis</i>	
<i>marmotae</i> Smetana, <i>Heterothops</i> ..	1837	( <i>Neoleucopis</i> ) .....	1872
<i>martini</i> Holland, <i>Kohlsia</i> .....	97	<i>solidaginis</i> Yoshimoto, <i>Euderus</i>	
<i>martini</i> Matsuda, <i>Aradus</i> .....	1195	( <i>Euderus</i> ) .....	566
<i>masoni</i> New, <i>Trichadenotecnum</i> .....	196	<i>spiculatus</i> Richards, <i>Tuberculatus</i> ..	107
<i>masoni</i> Yoshimoto, <i>Euderus</i>		<i>subcorticalis</i> Lindquist, <i>Proctolaelaps</i>	919
( <i>Euderus</i> ) .....	562	<i>subfumalis</i> Munroe & Mutuura,	
<i>maxima</i> Allen, <i>Ephemerella</i>		<i>Tenerobotys subfumalis</i> .....	176
( <i>Ephemerella</i> ) .....	526	<i>subfumalis subfumalis</i> Munroe &	
<i>mexicanus</i> Kelton, <i>Trigonotylus</i> ..	696	<i>Mutuura, Tenerobotys</i> .....	176
<i>microtrema</i> Quednau, <i>Diphyllaphis</i> ..	1084	<i>swezeyanaadfinis</i> Chan & LeRoux,	
<i>militia</i> McAlpine, <i>Leucopis</i>		<i>Forcipomyia</i> ( <i>Forcipomyia</i> ) .....	747
( <i>Neoleucopis</i> ) .....	1855	<i>synchrona</i> Oliver, <i>Einfeldia</i> .....	1591
<i>multidentata</i> Holland, <i>Acanthopsylla</i>		<i>tasmanica</i> Holland, <i>Acanthopsylla</i>	
<i>rothschildi</i> .....	217	<i>scintilla</i> .....	234
<i>neobetulella</i> Quednau, <i>Calaphis</i> .....	1098	<i>tenebrione</i> Lindquist & Vercammen-	
<i>neomexicanus</i> Smetana, <i>Quedius</i>		<i>Grandjean, Neotrombidium</i> .....	1582
( <i>Microsaurus</i> ) <i>leechi</i> .....	1842	<i>texanus</i> Becker, <i>Megapenthes</i> .....	160
<i>nepalensis</i> New, <i>Psococerastis</i> .....	193	<i>tsinlingalis</i> Munroe & Mutuura,	
<i>nepalensis</i> New, <i>Stenopsocus</i> .....	207	<i>Tenerobotys teneralis</i> .....	176
<i>newtoni</i> Howden, <i>Bdelyropsis</i> .....	1465	<i>undatella</i> Allen, <i>Ephemerella</i>	
<i>nicopina</i> Chan & LeRoux,		( <i>Acerella</i> ) .....	521
<i>Forcipomyia</i> ( <i>Trichohelea</i> ) .....	754	<i>viridilineatus</i> Yoshimoto, <i>Euderus</i>	
<i>nigraluna</i> McAlpine, <i>Leucopis</i>		( <i>Neoeuderus</i> ) .....	553
( <i>Neoleucopis</i> ) .....	1857	<i>vockerothi</i> Yoshimoto, <i>Euderus</i>	
<i>notabilis</i> Hamilton, <i>Jascopeus</i> .....	944	( <i>Euderus</i> ) .....	562
<i>orbiseta</i> McAlpine, <i>Leucopis</i>		<i>walleyi</i> Kelton, <i>Lygocoris</i> ( <i>Neolygus</i> )	1110
( <i>Neoleucopis</i> ) .....	1862	<i>whalleyi</i> Munroe & Mutuura,	
<i>pecki</i> Yoshimoto, <i>Euderus</i> ( <i>Euderus</i> )	561	<i>Epiparbatia gloriosalis</i> .....	506

## THE ENTOMOLOGICAL SOCIETY OF CANADA

## SUPPLEMENTS AND MEMOIRS

- No. 1** of Vol. LXXXVII (mailed 30 March 1955): The comparative internal larval anatomy of sawflies (Hymenoptera: Symphyta) — Doreen E. Maxwell
- No. 1** of Vol. LXXXVIII (mailed 10 December 1956): Revision of the Nearctic species of *Agriotes* (Coleoptera: Elateridae) — Edward C. Becker
- No. 2** of Vol. LXXXVIII (mailed 16 January 1957): Leafhoppers (Homoptera: Cicadellidae) of Canada and Alaska — Bryan P. Beirne
- No. 3** of Vol. LXXXVIII (mailed 2 January 1957): The New World species of *Chrysomela* L. (Coleoptera: Chrysomelidae) — W. J. Brown
- NOTE: After this issue the "Supplements" became, in fact, a self-contained series with a continuous numbering system independent of *The Canadian Entomologist*. Nevertheless, they were still issued (with later exceptions) as "Accompanying" volumes of *The Canadian Entomologist*.
- Because four Supplements had already been published, the next one was called No. 5 — there is no Supplement No. 4.
- No. 4** — there is no Supplement No. 4.
- No. 5** (mailed 2 December 1957): The use of larval anatomy in the study of bark beetles (Coleoptera: Scolytidae) — J. B. Thomas
- No. 6** (mailed 8 April 1958): Taxonomy, life history, and habits of the elliptoid-eyed species of *Schinia* (Lepidoptera: Noctuidae), with notes on the Heliothidinae — David F. Harwick
- No. 7** (mailed 28 April 1958): The Archipinae of North America (Lepidoptera: Tortricidae) — T. N. Freeman
- No. 8** (mailed 12 September 1958): Larvae of the Nearctic Laurentiinae (Lepidoptera: Geometridae) — W. C. McGuffin
- No. 9** (mailed 14 November 1958): Acridoidea of southern Alberta, Saskatchewan, and Manitoba (Orthoptera) — Arthur R. Brooks
- No. 10** (mailed 26 March 1959): Larvae of the North American Olethreutidae (Lepidoptera) — Margaret Rae MacKay
- No. 11** (mailed 26 March 1959): Male genitalia as taxonomic characters in the Miridae (Hemiptera) — Leonard A. Kelton
- No. 12** (mailed 15 June 1959): Phytoseiid mites (Acarina: Phytoseiidae). I. Bionomics of seven species in southeastern England. II. A taxonomic review of the family Phytoseiidae, with descriptions of 38 new species — D. A. Chant
- No. 13** (mailed 14 November 1960): A synopsis of the genus *Rhopalosiphum* in Canada (Homoptera: Aphididae) — W. R. Richards
- No. 14** (mailed 16 March 1961): A revision of the Nearctic species of Fanniinae (Diptera: Muscidae) — J. G. Chillcott
- No. 15** (mailed 1 February 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). I. Introduction, key to Nearctic genera of Ichneumoninae Stenopneusticae, and synopsis of the Protichneumonini north of Mexico — Gerd H. Heinrich
- No. 16** (mailed 11 January 1961): Needle-mining Lepidoptera of pine in North America — T. N. Freeman
- No. 17** (mailed 25 October 1961): The classification of the Papilionidae (Lepidoptera) — Eugene Munroe
- No. 18** (mailed 4 April 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). II. Synopsis of the ichneumonini: Genera *Orgichneumon*, *Cratichneumon*, *Homotherus*, *Aculichneumon*, *Spilichneumon* — Gerd H. Heinrich
- No. 19** (mailed 4 April 1961): Mathematical models for use in insect pest control — Kenenth E. F. Watt
- No. 20** (mailed 6 April 1961): Adult Elateridae of southern Alberta, Saskatchewan and Manitoba (Coleoptera) — A. R. Brooks
- No. 21** (mailed 13 September 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). III. Synopsis of the Ichneumonini: Genera *Ichneumon* and *Thyrateles* — Gerd H. Heinrich
- No. 22** (mailed 29 May 1961): Taxonomy and distribution of Nearctic *Vespula* — C. D. F. Miller

- No. 23 (mailed 21 December 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). IV. Synopsis of the Ichneumonini: Genera *Chasmias*, *Neamblymorpha*, *Anisopygus*, *Limerodops*, *Eupalamus*, *Tricholabus*, *Pseudamblyteles*, *Eutanyacra*, *Ctenichneumon*, *Exephanes*, *Ectopimorpha*, *Pseudoamblyteles* — Gerd H. Heinrich
- No. 24 (mailed 27 December 1961): Synopsis of the North American Odontiinae, with descriptions of new genera and species (Lepidoptera: Pyralidae) — Eugene Munroe
- No. 25 (mailed 28 December 1961): A revision of the New World species of *Thalycra* Erichson, with a description of a new genus and notes on generic synonymy (Coleoptera: Nitidulidae) — Henry F. Howden
- No. 26 (mailed 19 February 1962): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). V. Synopsis of the Ichneumonini: Genera *Protopelmus*, *Patrocloides*, *Probolus*, *Stenichneumon*, *Aoplus*, *Limonethe*, *Hybophorellus*, *Rubicundiella*, *Melanichneumon*, *Stenobarichneumon*, *Platylabops*, *Hoplismenus*, *Hemihoplis*, *Trogomorpha* — Gerd H. Heinrich
- No. 27 (mailed 20 September 1962): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). VI. Synopsis of the Ichneumonini (genus *Plagiotrypes*), *Acanthojoppini*, *Listrodromini* and *Platylabini* — Gerd H. Heinrich
- No. 28 (mailed 6 November 1962): Larvae of the North American Tortricinae (Lepidoptera: Tortricidae) — Margaret Rae MacKay
- No. 29 (mailed 27 November 1962): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). VII. Synopsis of the Trogini addenda and corrigenda — Gerd H. Heinrich
- No. 30 (mailed 1 May 1963): A catalogue of the Nearctic Chalcidoidea (Insecta: Hymenoptera) — Oswald Peck
- NOTE: After Supplement No. 30, the series continued under the title of *Memoirs of the Entomological Society of Canada*.
- No. 31 (mailed 21 May 1963): The dynamics of epidemic spruce budworm populations — R. F. Morris, *Editor*
- No. 32 (mailed 4 June 1963): Population dynamics of agricultural and forest insect pests — E. J. LeRoux and others
- No. 33 (mailed 19 March 1964): Some neotropical genera resembling *Epicorsia* Hübner (Lepidoptera: Pyralidae) — Eugene Munroe
- No. 34 (mailed 1 April 1964): Keys to the Chalcidoidea of Czechoslovakia (Insecta: Hymenoptera) — Oswald Peck, Zdeněk Bouček and Augustin Hoffer
- No. 35 (mailed 14 May 1964): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). VIII. Addenda and corrigenda, host-parasite list and generic host index, index to ichneumonid names — Oswald Peck
- No. 36 (mailed 21 October 1964): The morphology, histology, and fine structure of the gut of the green peach aphid, *Myzus persicae* (Sulzer) (Homoptera: Aphididae) — A. R. Forbes
- No. 37 (mailed 23 October 1964): Insect lipids: A review — Paul G. Fast
- No. 38 (mailed 6 November 1964): Blood circulation in insect wings — John W. Arnold
- No. 39 (mailed 10 December 1964): The Geotrupinae of North and Central America — Henry F. Howden
- No. 40 (mailed 1 April 1965): The corn earworm complex — David F. Hardwick
- No. 41 (mailed 5 April 1965): The Phytoseiidae (Acarina) of Central America — D. A. Chant and E. W. Baker
- No. 42 (mailed 18 June 1965): The Muscidae of northern Canada, Alaska, and Greenland (Diptera) — Hugh C. Huckett
- No. 43 (mailed 23 June 1965): Recherches sur la biologie et la dynamique des populations naturelles d'*Archips argyrospilus* (Wlk.) (Lépidoptères: Tortricidae) dans le sud-ouest du Québec — Rudophe-O. Paradis et E. J. LeRoux
- No. 44 (mailed 26 October 1965): The Callaphidini of Canada (Homoptera: Aphididae) — W. R. Richards
- No. 45 (mailed 7 December 1965): The functional response of predators to prey density and its role in mimicry and population regulation — C. S. Holling
- No. 46 (mailed 9 December 1965): The population dynamics of the winter moth in Nova Scotia, 1954-1962 — D. G. Embree



- No. 47 (mailed 29 December 1965): Taxonomic concepts in the Ascidae, with a modified setal nomenclature for the idiosoma of the Gamasina (Acarina: Mesostigmata) — Evert E. Lindquist and G. Owen Evans
- No. 48 (mailed 1 April 1966): The functional response of invertebrate predators to prey density — C. S. Holling
- No. 49 (mailed 16 May 1966): Revision of North American species of *Udea* Guenée (Lepidoptera: Pyralidae) — Eugene Munroe
- No. 50 (mailed 15 September 1967): Guide to the Geometridae of Canada (Lepidoptera). I. Subfamily Sterrhinae — W. C. McGuffin
- No. 51 (mailed 15 September 1967): Aquatic and semiaquatic Heteroptera of Alberta, Saskatchewan, and Manitoba (Hemiptera) — Arthur R. Brooks and Leonard A. Kelton
- No. 52 (mailed 9 January 1968): A history of grasshopper abundance surveys and forecasts of outbreaks in Saskatchewan — Paul W. Riegert
- No. 53 (mailed 12 February 1968): Generic classification, evolution, and biogeography of the Sminthuridae of the World (Collembola) — W. R. Richards
- No. 54 (mailed 19 April 1968): A review of the Trichiinae of North and Central America (Coleoptera: Scarabaeidae) — Henry F. Howden
- No. 55 (mailed 3 July 1968): The *imbecillus* and *rufus* groups of the spider genus *Phlodromus* in North America (Araneida: Thomisidae) — C. D. Dondale and J. H. Redner
- No. 56 (mailed 13 September 1968): The tachinids of Trinidad. VIII. Phorocerines — W. R. Thompson
- No. 57 (mailed 5 December 1968): A synopsis of the World fauna of *Myzocallis* (Homoptera: Aphididae) — W. R. Richards
- No. 58 (mailed 6 November 1968): The North American Aegeriidae (Lepidoptera): A revision based on late-instar larvae — Margaret Rae MacKay
- No. 59 (mailed 26 February 1969): The life histories, distribution, and immature forms of the North American sawflies of the genus *Cephalcia* (Hymenoptera: Pamphiliidae) — D. C. Eidt
- No. 60 (mailed 19 February 1969): Review of the Holarctic tarsonemid mites (Acarina: Prostigmata) parasitizing eggs of ipine bark beetles — Evert E. Lindquist
- No. 61 (mailed 17 April 1969): Contribution towards a monograph of the fleas of New Guinea — George P. Holland
- No. 62 (mailed 15 July 1969): A revision of the genera of the Syrphini (Diptera: Syrphidae) — J. R. Vockeroth
- No. 63 (mailed 21 June 1969): Larvae and pupae of some eastern North American Tabanidae (Diptera) — H. J. Teskey
- No. 64 (mailed 11 November 1969): The Agromyzidae of Canada and Alaska — Kenneth A. Spencer
- No. 65 (mailed 25 June 1970): A monograph of the Western Hemisphere bumblebees (Hymenoptera: Apidae; Bombinae): Bibliography — H. E. Milliron
- No. 66 (mailed 6 April 1970): Le genre *Rhyacophila* et la famille des Rhyacophilidae (Trichoptera) — F. Schmid
- No. 67 (mailed 24 March 1970): The genus *Euxoa* (Lepidoptera: Noctuidae) in North America. I. Subgenera *Orosagrotis*, *Longivesica*, *Chorizagrotis*, *Pleonectopoda*, and *Crassivesica* — David F. Hardwick
- No. 68 (mailed 26 March 1970): The Nearctic species of *Pinigalio* and *Sympiesis* (Hymenoptera: Eulophidae) — Charles Douglas Miller
- No. 69 (mailed 31 March 1970): The *Prosimulium* of Canada and Alaska (Diptera: Simuliidae) — B. V. Peterson
- No. 70 (mailed 25 June 1970): Models for the development and survival of *Hyphantria cunea* in relation to temperature and humidity — R. F. Morris and W. C. Fulton
- No. 71 (mailed 16 October 1970): Taxonomy and distribution of the European corn borer and allied species: Genus *Ostrinia* (Lepidoptera: Pyralidae) — Akira Mutuura and Eugene Munroe
- No. 72 (mailed 27 July 1970): A catalogue of types of Coleoptera in the Canadian National Collection of Insects — Raymond de Ruelle
- No. 73 (mailed 25 November 1970): A generic revision of the North American Heliethidinae (Lepidoptera: Noctuidae) — D. F. Hardwick
- No. 74 (mailed 25 November 1970): Revision of the subfamily Midilinae (Lepidoptera: Pyralidae) — Eugene Munroe

- No. 75 (mailed 19 April 1971): A revision of the Trogositidae of America north of Mexico (Coleoptera: Cleroidea) — J. R. Barron
- No. 76 (mailed 31 December 1970): Morphology and evolution of the insect thorax — Ryuichi Matsuda
- No. 77 (mailed 23 March 1971): The biology and dynamics of *Lithocolletis blancardella* (Lepidoptera: Gracillariidae) on apple in Quebec — R. P. Pottinger and E. J. LeRoux
- No. 78 (mailed 25 May 1971): Pest insects of annual crop plants in Canada. I. Lepidoptera. II. Diptera. III. Coleoptera — Bryan P. Beirne
- No. 79 (mailed 20 August 1971): Revision of the tribe Quediini of America north of Mexico (Coleoptera: Staphylinidae) — Aleš Smetana
- No. 80 (mailed 22 September 1971): A synopsis of the World fauna of the Saltusaphidinae, or sedge aphids (Homoptera: Aphididae) — W. R. Richards
- No. 81 (mailed 30 November 1971): A revision of the Alleculidae (Coleoptera) of the West Indies — J. M. Campbell
- No. 82 (mailed 3 December 1971): A monograph of the Western Hemisphere bumblebees (Hymenoptera: Apidae: Bombinae). I. The genera *Bombus* and *Megabombus* subgenus *Bombias* — H. E. Milliron
- No. 83 (mailed 3 December 1971): Review of *Lygocoris* species found in Canada and Alaska (Heteroptera: Miridae) — Leonard A. Kelton

